

MATERIAL SAFETY DATA SHEET

MODEL AIR

1.- PRODUCT NAME AND MANUFACTURER

Product name: MODEL AIR

Product type and use: Airbrush colors for painting miniatures and models. 17 ml bottle.

Manufacturer: ACRYLICOS VALLEJO, S.L.
N.I.F. (ES) B-60562956
Pol. Ind. Sant Jordi
C/ Eusebio Millán, 14
08800 Vilanova i La Geltrú (Barcelona)
Tel. 34.93 893 60 12 Fax. 34.93 893 11 54
www.acrylicosvallejo.com vallejo@acrylicosvallejo.com

Emergency number: 34 93 893 60 12 (only business hours)

2.- HAZARDS IDENTIFICATION

This product has not been classified hazardous according to Regulation (CE) No.1272/2008.

3.- CHEMICAL TYPE

MODEL AIR doesn't contain components in any amounts considered hazardous or possibly affecting classification of end product.

4.- EMERGENCY FIRST AID

Inhalation: remove the casualty into fresh air and keep him calm.

Swallowing: Drink as much water as possible. Do not induce vomiting. Refer for medical treatment.

Eye contact: rinse with water and / or milk eyewash for 20-30 minutes at least. Consult doctor if the irritation persists.

Skin contact: wash off immediately with plenty of water.

5.- FIRE FIGHTING MEASURES

Product is non-flammable.
Paint film will not sustain combustion.

6.- ACCIDENTAL RELEASE MEASURES

Residue take up with absorbent material (sand, sawdust...). Dispose of absorbed material in accordance with the regulations.
Remove dried paint with alcohol, ammonia or other professional cleaners.
Do not discharge into the drains / surface waters / groundwater.

7.- HANDLING AND STORAGE

Package: 17 ml containers

Keep bottle tightly close.

For best product stability, avoid temperature extremes. Paint will withstand freezing to -5°C without damage.

8.-EXPOSURE CONTROLS

Ventilation: Provide good room ventilation

Respiratory protection: when spraying use a NIOSH P100 dust and mist respirator.

Protective gloves: none required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

Other protective clothing or equipment: none required under normal use

Work/Hygienic practices: all products should be used in accordance with safe handling practices, including: do not eat, drink or smoke when working with materials, avoid excessive skin contact, wash after working with materials.

9.-PHYSICAL AND CHEMICAL PROPERTIES

Form:	liquid
Flash Point:	not applicable
Density:	1.16 gr/cc
Viscosity:	175 cP (R2, 60 rpm, 20°C)
pH:	8.9
Solubility in water:	Totally soluble
Drying time:	20-30 minutos
Boiling point:	100°C

10.-STABILITY AND REACTIVITY

Stable at normal conditions.

11.- TOXICOLOGICAL INFORMATION

TLV: none established

According to the European Legislation 67/548/CEE of 20.4.1994 MODEL AIR is not toxic, not noxious and not irritative

12.- ECOLOGICAL INFORMATION

Not readily biodegradable. Do not allow to enter soil, waterways or waste water.

13.- ADVICE ON DISPOSAL

Disposal in accordance with local regulations. In some countries, incineration is not permitted.

14.- TRANSPORT INFORMATION

MODEL AIR is not hazardous product for his transport.

15.- REGLAMENTARY INFORMATION

Classified not hazardous. This product does not require labelling.

Symbols CE: none

R phrases: none

S phrases: none

16.- OTHERS INFORMATIONS

This information is only a guide for safety in the handling and storage, and it is not a specification of quality.

The information of this Safety data sheet complies with the requirements stated in Regulation EC1907/2006 (REACH) and Regulation EC1272/2008 (Regulation on Classification, labelling and packaging of substances).

MODEL AIR conforms to ASTM D-4236.